

Washington Flora Checklist

A checklist of the Vascular Plants of Washington State

Hosted by the University of Washington Herbarium

Family: Hypericaceae

13 terminal taxa (species, subspecies, and varieties).

The Washington Flora Checklist aims to be a complete list of the native and naturalized vascular plants of Washington State, with current classifications, nomenclature and synonymy.

Taxa included in the checklist:

- * Native taxa whether extant, extirpated, or extinct.
- * Exotic taxa that are naturalized, escaped from cultivation, or persisting wild.
- * Waifs (e.g., ballast plants, escaped crop plants) and other scarcely collected exotics.
- * Interspecific hybrids that are frequent or self-maintaining.
- * Some unnamed taxa in the process of being described.

Family classifications follow [APG IV](#) for angiosperms, PPG I (J. Syst. Evol. 54:563?603. 2016.) for pteridophytes, and Christenhusz et al. (Phytotaxa 19:55?70. 2011.) for gymnosperms, with a few exceptions. Nomenclature and synonymy at the rank of genus and below follows the [2nd Edition of the Flora of the Pacific Northwest](#) except where superceded by new information.

Accepted names are indicated with blue font; synonyms with black font.
Native species and infraspecies are marked with **boldface** font.

Please note: This is a working checklist, continuously updated. Use it at your discretion.

Created from the Washington Flora Checklist Database on June 2nd, 2024 at 3:52pm PST.
Available online at <https://burkeherbarium.org/waflora/>

Comments and questions should be addressed to the checklist administrators:
David Giblin (dgiblin@uw.edu)
Peter Zika (zikap941@gmail.com)

Suggested citation:

Weinmann, F., P.F. Zika, D.E. Giblin, B. Legler. 2002+. Checklist of the Vascular Plants of Washington State. University of Washington Herbarium. <https://burkeherbarium.org/waflora/>. Accessed 02 Jun 2024.

Dicots:

Hypericaceae [HC, HC2] St. John's Wort Family

Synonyms: (none)

Taxonomy follows APG III (<http://www.mobot.org/mobot/research/apweb/welcome.html>).

References: (none)

Hypericum [HC, HC2]

St. John's-wort

Hypericum anagalloides Cham. & Schltdl. [HC, HC2]

Linnaea 3(2): 127.

tinker's penny, bog St. John's wort, creeping St. John's wort

Hypericum androsaemum L. [HC2, IFBC]

Sp. Pl. 2: 784.

tutsan

Hypericum boreale (Britton) E.P. Bicknell [HC2, IFBC]

Bull. Torrey Bot. Club 22(5): 213.

northern St. John's wort

Hypericum calycinum L. [HC2]

Mantissa Plantarum 1: 106.

Aaron's beard, great St. John's wort

Hypericum canadense L. [GC, HC2]

Sp. Pl. 2: 785.

Canadian St. John's wort

Hypericum ellipticum Hook. [GC, HC2]

Fl. Bor.-Amer. 1(3): 110-111.

pale St. John's wort

\

Hypericum maculatum Crantz [HC2]

Stirp. Austr. Fasc. 2: 63.

spotted St. John's wort, streaked St. John's wort

ssp. obtusiusculum (Tourlet) Hayek [HC2, IFBC]

Sched. Fl. Stiriac. 23-24: 27.

dotted John's-wort, imperforate St. John's-wort

Hypericum majus (A. Gray) Britton [HC, HC2]

Memoirs of the Torrey Botanical Club 5(15): 225.

greater Canadian St. John's wort

Hypericum canadense L. var. *majus* A. Gray

Inland populations are native, coastal populations associated with cranberry agriculture are introduced.

Hypericum mutilum L. [HC2, IFBC]

Sp. Pl. 2: 787.

dwarf St. John's wort

Hypericum perforatum L. [HC, HC2, IFBC]

Sp. Pl. 2: 785.

common St. John's wort, Klamath weed

ssp. perforatum [HC2]

***Hypericum scouleri* Hook. [HC2]**

Fl. Bor.-Amer. (Hooker) 1(3): 111.

Norton's St. John's wort, Scouler's St. John's wort, western St. John's wort

Hypericum formosum Kunth var. *nortoniae* (M.E. Jones) C.L. Hitchc. [VPPNW, HC]

Hypericum formosum Kunth var. *scouleri* (Hook.) J.M. Coult. [VPPNW, HC]

Hypericum scouleri Hook. ssp. *nortoniae* (M.E. Jones) J.M. Gillett [IFBC]

Hypericum scouleri Hook. ssp. *scouleri* [IFBC]

***Hypericum tetrapterum* Fr. [HC2]**

Novitiae Florae Suecicae 236.

square-stalked St. John's wort

***Triadenum* [HC2]**

marsh

***Triadenum fraseri* (Spach) Gleason [HC2, IFBC]**

Phytologia 2(8): 289. (incorrectly citing "*Hypericum fraseri*" as the basionym).

marsh St. John's wort